

# Using Mamba to install Conda packages

[Mamba](#) is an alternative to Conda package manager. The main advantage is its speed regarding dependency resolution.

## Setting up Mamba

The proposed installation is based on `micromamba` and doesn't require any installation on the cluster. You just have to add the following line to your `~/.bashrc` file:

```
export MAMBA_ROOT_PREFIX="/work/FAC/INSTITUTE/PI/PROJECT/mamba_root"
```

Of course, replace `/work/FAC/INSTITUTE/PI/PROJECT` with the path corresponding to your project.

Then, you just have to load the module and run the initialization process with the following command:

```
module load micromamba  
mamba_init
```

Finally, you have to logout from the cluster and the environment will be properly configured at the next login.

## Using Mamba

Instead of using `conda` commands, you can replace `conda` with `micromamba`. For instance:

```
micromamba create --prefix ./my_mamba_env  
micromamba activate ./my_mamba_env  
micromamba install busco -c conda-forge -c bioconda  
busco -v  
micromamba deactivate
```

## Restriction

You cannot use Mamba with virtual environment created previously with Conda. Such environments must be recreated.

---

Révision #6

Créé 5 janvier 2023 10:48:21 par Emmanuel Jeanvoine

Mis à jour 6 mars 2025 10:00:35 par Emmanuel Jeanvoine